

---

## Sybex Windows Server 2008 Network 14

This wizard will install and configure a DHCP service and DHCP Clients on the server. In this section, the configuration of a server is changed. If the server had a GUI, additional information can be viewed.. This configuration appears only if the Add-WindowsFeature command is run under the Networking. The DHCP service runs as Local System and the computer must be powered on to start the DHCP service. When a DHCP service is installed on a Windows Server 2008 system, the following new system event log messages can be found in the system event log: The Windows Server DHCP Client service is starting. After a reboot of the server, the following new system event log messages can be found in the system event log: The Windows Server DHCP Client service has started. Windows Server 2008 Desktop Services This section contains information on using Windows Server 2008 Desktop Services. The information in this section applies only to computers that have Windows Server 2008 installed. Windows Server 2008 Desktop Services requires that a user have administrative privileges on the computer. When a user logs on to Windows Server 2008 Desktop Services, a desktop session is created and the user is logged on to the desktop session. The user performs any actions through the desktop session as if the user is logged on to a locally installed desktop. Desktop services automatically start at system startup and log off as the user logs off. For more information, see Restoring the Desktop Session. Before a user can install Windows Server 2008 Desktop Services, the user must install the operating system or Windows Server 2003. Otherwise, the user cannot log on to the desktop session. When a user installs Windows Server 2008 Desktop Services, he or she has the option to automatically log on to the desktop session. By default, the user also is automatically logged on to the desktop session when he or she logs on to Windows Server 2008 or another networked computer. For more information, see Optional Automatic Logon. Before you can work with a Windows Server 2008 Desktop Services service, you must install the service on a computer in your network. When you install Windows Server 2008 Desktop Services, a default share, User Profile (UserProfile) is created on the computer in the File and Print Services category in All Programs. The user profile store is used to store user-related information, including the user name, password, and account settings. More information about user profiles is contained in the Help and Support files included with Windows Server 2008 Desktop Services. You cannot configure user profiles using the File and Print Services configuration tool.

[Download](#)



